

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 2659 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Oct 13 2012

See axaff02659N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.10.23
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.184

Comments

Charge time for this ObsId remains at previous value of 1.184 ks although with the new processing it would have been 1.14 ksec. Monitor constraint met.

seq_num	290215	Sequence number
obs_id	2659	Observation id
title	AO3B HRC-S CALIBRATION OBSERVATION: MINI-SCAN OF ARLAC	Proposal ti
observer	Dr. CXC Calibration	Principal investigator
object	ARLAC	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.20975478341	Nominal RA [deg]
dec_nom	45.73691353546	Nominal Dec [deg]
roll_nom	166.76580448089	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1141.0812969804	[s]
livetime	1134.5735085549	Ontime multiplied by DTCOR
l2events	48914	Number of level 2 events

