

# V&V Summary Report

## L2 ASCDS Version : 7.6.7.1

Observation 59579 - L2 Version 002  
Chandra X-Ray Center

L2 Processing Date: 12 2006

See [axaff59579N002\\_VV001\\_vvref2.pdf](#) for the full report

|                            |               |
|----------------------------|---------------|
| V&V Scientist              | Beth Sundheim |
| V&V Date (YYYY-MM-DD)      | 2006.03.13    |
| V&V Edition                | 1             |
| V&V Disposition and Status | OK            |
| V&V Charge Time            | 8.27719693    |

## Comments

Focal plane temperasture is elevated throughout entire observation.

|          |   |
|----------|---|
| seq_num  |   |
| obs_id   | 59579   |
| title    | ACIS-012367 diagnostics                         |
| observer | CHANDRA engineering request/realtime commanding |
| object   |   |
| dtcycle  | 0   |
| cycle    | P   |
| ra_targ  | 0.0   |
| dec_targ | 0.0   |
| ra_nom   | 296.52479838096                                 |
| dec_nom  | -49.976265092427                                |
| roll_nom | 23.088989356201                                 |
| revision | 2   |
| ontime   | 8277.1969361901                                 |
| livetime | 8172.3860846545                                 |
| ontime0  | 7651.7294882536                                 |
| ontime1  | 7940.2174350321                                 |
| ontime2  | 7528.6542681456                                 |
| ontime3  | 7716.4667648375                                 |
| ontime6  | 8115.3121517897                                 |
| ontime7  | 8277.1969361901                                 |
| l2events | 1064795   |