

# V&V Reference Report

## L2 ASCDS Version : 8.1.1

Observation 1349 - L2 Version 5

Chandra X-Ray Center


L2 Processing Date : Nov 19 2009

## Contents

<b>1</b>	<b>Front</b>	<b>2</b>
<b>2</b>	<b>OBI</b>	<b>3</b>
2.1	OBI . . . . .	3
2.1.1	Images . . . . .	3
2.1.2	Parameters . . . . .	4
2.1.3	Events . . . . .	4
2.2	Compared Parameters . . . . .	5
2.3	Aspect . . . . .	6
2.4	Star Slots . . . . .	9
2.4.1	Slot 3 . . . . .	9
2.4.2	Slot 4 . . . . .	10
2.4.3	Slot 5 . . . . .	11
2.4.4	Slot 6 . . . . .	12
2.4.5	Slot 7 . . . . .	13
2.5	FID Slots . . . . .	14
2.5.1	Slot 0 . . . . .	14
2.5.2	Slot 1 . . . . .	15
2.5.3	Slot 2 . . . . .	16
<b>3</b>	<b>Point Sources</b>	<b>17</b>
<b>A</b>	<b>Summary</b>	<b>18</b>
A.1	Status . . . . .	18
A.2	Comments . . . . .	18

# 1 Front


seq_num	280299	Sequence number
obs_id	1349	Observation id
title	&#160	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	ArLac	Source name
ra_targ	332.1701	Observer's specified target RA
dec_targ	45.7423	Observer's specified target Dec
ra_nom	332.25602053405	Nominal RA
dec_nom	45.815448258587	Nominal Dec
roll_nom	229.34696314972	Nominal Roll
revision	5	Processing version of data
ontime	1276.381295979	[s]
livetime	1267.275798101	Ontime multiplied by DTCOR
l2events	40587	Number of level 2 events



## 2 OBI

### 2.1 OBI

#### 2.1.1 Images



### 2.1.2 Parameters

obi_num	0	Obi number	sched_exp_time	1000.000000	Scheduled observation exposure time
ascdsver	8.1.1	Processing system revision	ontime	1276.381295979	[s]
caldbver	4.1.4	&#160	l1events	69885	Number of level 1 events
date	2009-11-19T05:14:16	Date and time of file creation			
revision	4	Processing version of data			

### 2.1.3 Events



#### Level 1 Events



	<b>segment 0</b>
level 1 events	69885
rejected events	2651
rejected %	3%

## 2.2 Compared Parameters

Parameter	Planned	Actual	Parameter	Planned	Actual
Instrument	HRC	HRC	Obspar format version number	6	6
Detector	HRC-I	HRC-I	Obspar file type	PREDICTED	ACTUAL
Grating	NONE	NONE	Obspar update status	NONE	UPDATED
Data mode	OBSERVING	OBSERVING			
Observation mode	POINTING	POINTING			
Pointing RA	332.264240	332.2560205340546			
Pointing Dec	45.843179	45.81544825858671			
Pointing Roll	229.436551	229.3469631497213			
SIM focus pos (mm)	-0.040293	-0.2342646132009995			
SIM defocus (mm)	1	0.806028007457875			
SIM translation stage pos (mm)	126.985494	126.9854943052878			
SIM translation stage offset (mm)	0	-5.413686238853188e-06			
Observation start time	55398664.184000	55397997.395659			
Observation start date	1999-10-04T04:30:00	1999-10-04T04:19:57			
Observation end time	55399664.184000	55399798.320724			
Observation end date	1999-10-04T04:46:40	1999-10-04T04:49:58			

## 2.3 Aspect






Slot Statistics

slot	status	id	mag	n_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mean_z
0	FID	HRC-I-1	6.96	730	0.059	-0.003	0.006	0.011	0.000000	0.000000	-755.40	-1286.49
1	FID	HRC-I-3	7.05	730	0.058	-0.030	0.007	0.012	0.000000	0.000000	-1185.01	1016.46
2	FID	HRC-I-4	6.98	730	-0.003	-0.055	0.005	0.010	0.000000	0.000000	1285.82	1017.25
3	GUIDE	472523760	8.25	730	-0.074	0.073	0.053	0.087	331.645363	45.403260	2212.28	-162.31
4	GUIDE	472665256	9.00	730	-0.028	-0.048	0.062	0.099	332.808125	46.195041	-1847.56	202.73
5	GUIDE	472659832	9.46	730	-0.021	0.042	0.084	0.129	332.780399	46.098139	-1544.29	379.69
6	GUIDE	472655152	9.43	730	0.031	-0.018	0.083	0.136	332.504239	45.862991	-451.61	410.69
7	GUIDE	472655704	9.50	728	0.080	-0.055	0.087	0.135	332.167195	45.285228	1681.78	1119.96






## 2.4 Star Slots




### 2.4.1 Slot 3






## 2.4.2 Slot 4






### 2.4.3 Slot 5



## 2.4.4 Slot 6






## 2.4.5 Slot 7




## 2.5 FID Slots


### 2.5.1 Slot 0



## 2.5.2 Slot 1



### 2.5.3 Slot 2





### 3 Point Sources

# A Summary

## A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2009.11.20
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.276

## A.2 Comments

The ObsID series 1319-1382 were intended to access the HRC-I gain variation across the detector as a function of MCP HV. They were performed as triples (3 different HV settings at each Y-/Z-offset). The best HRC-I focus was not determined at the time the observations were performed (the data to determine that were being analyzed during this series).