V&V Summary Report L2 ASCDS Version : 8.1.1

Observation 1365 - L2 Version 4 Chandra X-Ray Center

L2 Processing Date : Nov 19 2009

See axaff01365N001_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2009.11.23
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.274

Comments

The ObsID series 1319-1382 were intended to access the HRC-I gain variation across the detector as a function of MCP HV. They were performed as triples (3 different HV settings at each Y-/Z-offset). The best HRC-I focus was not determined at the time the observations were performed (the data to determine that were being analyzed during this series).

seq_num	280315	Sequence number
obs_id	1365	Observation id
title		Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	ArLac	Source name
ra_targ	332.1701	Observer's specified target RA
dec_targ	45.7423	Observer's specified target Dec
ra_nom	332.089648234	Nominal RA
dec_nom	45.782242827457	Nominal Dec
roll_nom	229.94807443279	Nominal Roll
revision	4	Processing version of data
ontime	1274.3312959075	[s]
livetime	1265.447339635	Ontime multiplied by DTCOR
12events	40479	Number of level 2 events

