## V&V Summary Report L2 ASCDS Version: 8.1.2

Observation 1088 - L2 Version 3 Chandra X-Ray Center

L2 Processing Date: Dec 17 2009

See axaff01088N001\_VV001\_vvref2.pdf for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2010.07.28
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	0.761

## Comments

Target is very off-axis on I1.

===

Charge time for this ObsId remains at previous value of 0.761 ksec, although  $\,$ 

with the current processing the charge time would have been 0.758 ksec.

The focal plane temperature is approximately -100 C during this observation. This reprocessing of the data applies no CTI correction because none is available for this temperature at present.

The ACIS CTI correction has not been calibrated at this temperature, because it was early in the mission, and ACIS had not yet been lowered to the standard -119.7 C. Both front and back illuminated chips are affected. However a T\_GAIN correction has been applied to the BI chips (ACIS-5 and ACIS-7) data included here.

The ACIS spectral response calibration is less accurate at these warmer temperatures than it is at -119.7 C. Users whose science objectives depend on the most accurate spectral response (ie: fitting line-rich spectra) may notice an effect. Users whose science objectives do not depend on the most accurate spectral response should not notice an

т	,
480038	Sequence number
1088	Observation id
<b>&amp;</b> #160	Proposal title
Dr. CXC Calibration	Principal investigator
LMC X-1	Source name
0	<b>&amp;</b> #160
P	events from which exps? Prim/Second/Both
84.914583	Observer's specified target RA
-69.743611	Observer's specified target Dec
84.020485222449	Nominal RA
-69.823094929553	Nominal Dec
114.13715332632	Nominal Roll
3	Processing version of data
758.40000070632	Sum of GTIs [s]
748.79668324372	Livetime [s]
758.40000070632	Sum of GTIs [s]
758.40000070632	Sum of GTIs [s]
758.40000070632	Sum of GTIs [s]
758.40000070632	Sum of GTIs [s]
758.40000070632	Sum of GTIs [s]
758.40000070632	Sum of GTIs [s]
37169	Number of level 2 events
	1088  Dr. CXC Calibration LMC X-1 0 P 84.914583 -69.743611 84.020485222449 -69.823094929553 114.13715332632 3 758.40000070632 758.40000070632 758.40000070632 758.40000070632 758.40000070632 758.40000070632 758.40000070632 758.40000070632

