

V&V Summary Report

L2 ASCDS Version : 7.6.11

Observation 1311 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Jul 12 2007

See [axaff01311N001_VV002_vvref2.pdf](#) for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2010.10.01
V&V Edition	2
V&V Disposition and Status	OK
V&V Charge Time	7.8

Comments

Charge time for this ObsId remains at original value of 7.8 ks, although with the current processing the charge time would have been 7.75 ksec.===
There are 2 observations with the obsid 1311. They appear in separate spacecraft loads with these duplicate numbers. Because the 2 obsids used different instrument configurations, the telemetry file of the first obsid 1311 was edited to create a new obsid number, obsid 62864. This obsid retains the 1311 designation.

seq_num	590125
obs_id	1311
title	ACIS CALIBRATION OBSERVATION OF THE SUPERNOVA REMNANT E0102-72 (DEC 2000)
observer	Dr. CXC Calibration
object	E0102-72.3 [Chip S3, T=120, Offsets=-1,0,0]
dtcycle	0
cycle	P
ra_targ	16.01
dec_targ	-72.032028
ra_nom	16.042481516623
dec_nom	-72.050378258631
roll_nom	303.73247459753
revision	3
ontime	7753.6000072211
livetime	7655.4192552723
ontime2	7753.6000072211
ontime3	7753.6000072211
ontime5	7753.6000072211
ontime6	7753.6000072211
ontime7	7753.6000072211
ontime8	7750.3590469658
l2events	173576

