

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 1546 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Sep 20 2012

See axaff01546N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.09.21
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.41

Comments

Window constraint met. 'Ontimes' listed are spurious except for ontime3 which correctly lists the accumulated exposure. the others are non-blank because the detnam is acis-012367 instead of acis-3.

seq_num	590155	Sequence number
obs_id	1546	Observation id
title	CALIBRATION OBSERVATIONS OF THE STANDARD CANDLE CAS A	Proposal tit
observer	Dr. CXC Calibration	Principal investigator
object	CAS A [Chip I3, T=120, Offsets=-2,2,0]	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	350.8575	Observer's specified target RA [deg]
dec_targ	58.814833	Observer's specified target Dec [deg]
ra_nom	350.86933996607	Nominal RA [deg]
dec_nom	58.877940944508	Nominal Dec [deg]
roll_nom	127.9998610557	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1407.640911907	Sum of GTIs [s]
livetime	1389.8165151008	Livetime [s]
ontime0	1942.4000017941	Sum of GTIs [s]
ontime1	1942.4000017941	Sum of GTIs [s]
ontime2	1942.4000017941	Sum of GTIs [s]
ontime3	1407.640911907	Sum of GTIs [s]
ontime6	1942.4000017941	Sum of GTIs [s]
ontime7	1942.4000017941	Sum of GTIs [s]
l2events	310053	Number of level 2 events

