

# V&V Summary Report

## L2 ASCDS Version : 8.4.5

Observation 2626 - L2 Version 3  
Chandra X-Ray Center

L2 Processing Date : Oct 1 2012

See axaff02626N002\_VV001\_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2012.10.02
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.198

## Comments

Charge time for this observation remains at previous value of 1.198 ksec.

seq_num	290182	Sequence number
obs_id	2626	Observation id
title	AO3A HRC-S CALIBRATION OBSERVATION: MINI-SCAN OF ARLAC	Proposal ti
observer	Dr. CXC Calibration	Principal investigator
object	ARLAC	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.04415416291	Nominal RA [deg]
dec_nom	45.779783402957	Nominal Dec [deg]
roll_nom	336.31492062037	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1145.1812961549	[s]
livetime	1136.6061179891	Ontime multiplied by DTCOR
l2events	61073	Number of level 2 events

