

# V&V Summary Report

## L2 ASCDS Version : 8.4.5

Observation 2627 - L2 Version 3  
Chandra X-Ray Center

L2 Processing Date : Oct 1 2012

See axaff02627N002\_VV001\_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2012.10.02
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.192

## Comments

Charge time for this observation remains at previous value of 1.192 ksec.

seq_num	290183	Sequence number
obs_id	2627	Observation id
title	AO3A HRC-S CALIBRATION OBSERVATION: MINI-SCAN OF ARLAC	Proposal ti
observer	Dr. CXC Calibration	Principal investigator
object	ARLAC	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.06859249726	Nominal RA [deg]
dec_nom	45.735760543019	Nominal Dec [deg]
roll_nom	336.30134585744	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1142.1062960178	[s]
livetime	1135.4366546728	Ontime multiplied by DTCOR
l2events	45864	Number of level 2 events

