

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 2651 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Oct 11 2012

See axaff02651N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.10.22
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.184

Comments

Charge time for this ObsId remains at previous value of 1.184 ks, although with the current processing it would have been 1.14 ksec. Monitor constraint met.

seq_num	290207	Sequence number
obs_id	2651	Observation id
title	AO3B HRC-S CALIBRATION OBSERVATION: MINI-SCAN OF ARLAC	Proposal ti
observer	Dr. CXC Calibration	Principal investigator
object	ARLAC	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.19892871559	Nominal RA [deg]
dec_nom	45.703282030552	Nominal Dec [deg]
roll_nom	165.91485420636	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1143.1312971115	[s]
livetime	230.37446633486	Ontime multiplied by DTCOR
l2events	202830	Number of level 2 events

