

V&V Reference Report

L2 ASCDS Version : 8.4.5

Observation 2664 - L2 Version 3
Chandra X-Ray Center


L2 Processing Date : Oct 13 2012

Contents

1	Front	2
2	OBI	3
2.1	OBI	3
2.1.1	Images	3
2.1.2	Parameters	4
2.1.3	Events	4
2.2	Compared Parameters	5
2.3	Aspect	6
2.4	Star Slots	9
2.4.1	Slot 3	9
2.4.2	Slot 4	10
2.4.3	Slot 5	11
2.4.4	Slot 6	12
2.4.5	Slot 7	13
2.5	FID Slots	14
2.5.1	Slot 0	14
2.5.2	Slot 1	15
2.5.3	Slot 2	16
A	Summary	17
A.1	Status	17
A.2	Comments	17

1 Front


seq_num	290220	Sequence number
obs_id	2664	Observation id
title	AO3B HRC-S CALIBRATION OBSERVATION: MINI-SCAN OF ARLAC	Proposal ti
observer	Dr. CXC Calibration	Principal investigator
object	ARLAC	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.38411274888	Nominal RA [deg]
dec_nom	45.672406010171	Nominal Dec [deg]
roll_nom	166.51426000381	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1142.1062970459	[s]
livetime	1134.5022609694	Ontime multiplied by DTCOR
l2events	56226	Number of level 2 events



2 OBI

2.1 OBI

2.1.1 Images



2.1.2 Parameters

obi_num	0	Obi number	sched_exp_time	1000.000000	[s] Scheduled observation exposure time
ascdsver	8.4.5	Processing system revision	ontime	1142.1062970459	[s]
caldsver	4.5.2	 	l1events	87932	Number of level 1 events
date	2012-10-14T00:26:24	Date and time of file creation			
revision	3	Processing version of data			

2.1.3 Events



Level 1 Events



	segment 1	segment 2	segment 3
level 1 events	1692	84694	1546
rejected events	1692	18934	1546
rejected %	100%	22%	100%

2.2 Compared Parameters

Parameter	Planned	Actual	Parameter	Planned	Actual
Instrument	HRC	HRC	Obspar format version number	7	7
Detector	HRC-S	HRC-S	Obspar file type	PREDICTED	ACTUAL
Grating	NONE	NONE	Obspar update status	NONE	UPDATED
Data mode	OBSERVING	OBSERVING			
Observation mode	POINTING	POINTING			
[deg] Pointing RA	332.423127	332.3841127488813			
[deg] Pointing Dec	45.681733	45.67240601017122			
[deg] Pointing Roll	166.419047	166.5142600038119			
[mm] SIM focus pos	-1.429586	-1.428180813131781			
[mm] SIM defocus	0.1037507710433287	0.1051558262725154			
[mm] SIM translation stage pos	250.455976	250.466033080201			
[mm] SIM translation stage offset	0	-0.01005468664627074			
[s] Observation start time (MET)	145366450.184000	145366074.16519			
Observation start date	2002-08-10T11:33:06	2002-08-10T11:27:54			
[s] Observation end time (MET)	145367450.184000	145367585.01525			
Observation end date	2002-08-10T11:49:46	2002-08-10T11:53:05			

2.3 Aspect






Slot Statistics




slot	status	id	mag	n_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mean_z
0	FID	HRC-S-1	6.99	291	0.113	-0.160	0.009	0.014	0.000000	0.000000	-1156.98	-454.17
1	FID	HRC-S-3	7.01	291	0.135	-0.044	0.008	0.015	0.000000	0.000000	-1163.69	573.92
2	FID	HRC-S-4	6.93	291	0.139	-0.093	0.006	0.009	0.000000	0.000000	1237.27	580.04
3	GUIDE	472525528	6.63	582	-0.182	-0.233	0.062	0.101	331.551102	45.248694	1784.91	2023.23
4	GUIDE	472523760	8.24	582	-0.085	-0.032	0.053	0.088	331.645363	45.403260	1680.73	1431.06
5	GUIDE	472660976	8.60	582	0.041	0.120	0.079	0.141	333.433329	46.196713	-2004.69	-2405.79
6	GUIDE	472665256	9.02	582	0.176	0.185	0.079	0.124	332.808125	46.195041	-501.14	-2027.16
7	GUIDE	472523568	9.35	581	0.041	-0.029	0.094	0.149	331.465966	45.371411	2093.24	1637.57

2.4 Star Slots




2.4.1 Slot 3






2.4.2 Slot 4






2.4.3 Slot 5



2.4.4 Slot 6




2.4.5 Slot 7




2.5 FID Slots


2.5.1 Slot 0



2.5.2 Slot 1



2.5.3 Slot 2



A Summary

A.1 Status

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.10.23
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.184

A.2 Comments

Charge time for this ObsId remains at previous value of 1.184 ks although with the current processing it would have been 1.14 ksec. Monitor constraint met.