

V&V Summary Report

L2 ASCDS Version : 7.6.8.1

Observation 3694 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Nov 23 2007

See axaff03694N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2007.12.05
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	18.392

Comments

Window constraint met.

The current observation has been reprocessed as part of Repro III ('C' supplement) the purpose of which is to update all HRC-I ObsIDs since Jan 2000 to the latest calibrations available for that configuration. Specifically, we are updating the DEGAP solution and the Gain Maps applied. For more information see the Repro IIIC web page at

<http://asc.harvard.edu/cda/repro3.html#IIIC>

and the associated links.

seq_num	590306
obs_id	3694
title	AO4A OBSERVATIONS OF THE STANDARD CANDLES CAS A AND G21.5-09
observer	Dr. CXC Calibration
object	G21.5-0.9
ra_targ	278.389583
dec_targ	-10.568528
ra_nom	278.39003870592
dec_nom	-10.564437268909
roll_nom	105.89562561739
revision	3
ontime	18390.550778568
livetime	18291.198950905
l2events	541700

