

V&V Summary Report

L2 ASCDS Version : 8.4.3

Observation 6158 - L2 Version 2
Chandra X-Ray Center

L2 Processing Date : Mar 17 2012

See [axaff06158N002_VV001_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2012.03.19
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	20.85

Comments

Window preference met.

seq_num	590419	Sequence number
obs_id	6158	Observation id
title	Calibrating Pile-up in ACIS Imaging Data with PSRJ0437-4715	Propos
observer	Dr. CXC Calibration	Principal investigator
object	PSR J0437-4715	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	69.315833	Observer's specified target RA [deg]
dec_targ	-47.252333	Observer's specified target Dec [deg]
ra_nom	69.313999252741	Nominal RA [deg]
dec_nom	-47.254098582515	Nominal Dec [deg]
roll_nom	5.3991436382119	Nominal Roll [deg]
revision	2	Processing version of data
ontime	20850.0	Sum of GTIs [s]
livetime	20764.781337391	Livetime [s]
ontime7	20850.0	Sum of GTIs [s]
l2events	88506	Number of level 2 events

