

V&V Summary Report

L2 ASCDS Version : 8.4.3

Observation 7216 - L2 Version 2
Chandra X-Ray Center

L2 Processing Date : Mar 25 2012

See axaff07216N002_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2012.03.27
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	18.906

Comments

Window preference met.

seq_num	590453	Sequence number
obs_id	7216	Observation id
title	Calibrating Pile-up in ACIS Imaging Data with PSRJ0437-4715	Propos
observer	Dr. CXC Calibration	Principal investigator
object	PSR J0437-4715	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	69.315833	Observer's specified target RA [deg]
dec_targ	-47.252333	Observer's specified target Dec [deg]
ra_nom	69.312790054462	Nominal RA [deg]
dec_nom	-47.251557100373	Nominal Dec [deg]
roll_nom	291.13087204225	Nominal Roll [deg]
revision	2	Processing version of data
ontime	18906.0	Sum of GTIs [s]
livetime	18777.56147948	Livetime [s]
ontime7	18906.0	Sum of GTIs [s]
l2events	95589	Number of level 2 events

