

# V&V Summary Report

## L2 ASCDS Version : 8.4.3

Observation 6095 - L2 Version 5  
Chandra X-Ray Center

L2 Processing Date : Aug 10 2012

See axaff06095N005\_VV001\_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.08.12
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	47.91977

## Comments

Slot 2 was not used in this observation. This observation was performed with a large SIM offset, per PI request. As a result, the fid light positions are offset beyond normally expected ranges, but the fid light position correction has compensated for this offset. Window constraint met.

seq_num	990006	Sequence number
obs_id	6095	Observation id
title	AO6 Calibration Observations of the ACIS charged particle background	&#160
observer	Dr. CXC Calibration	Principal investigator
object	RXJ1856.5-3754	Source name
ra_targ	284.147083	Observer's specified target RA [deg]
dec_targ	-37.909611	Observer's specified target Dec [deg]
ra_nom	283.40997539875	Nominal RA [deg]
dec_nom	-37.848745893718	Nominal Dec [deg]
roll_nom	263.32585281293	Nominal Roll [deg]
revision	5	Processing version of data
ontime	47920.67408976	[s]
livetime	46782.474419161	Overtime multiplied by DTCOR
l2events	126086	Number of level 2 events

