

# V&V Reference Report

## L2 ASCDS Version : 10

Observation 15431 - L2 Version 2  
Chandra X-Ray Center


L2 Processing Date : Dec 6 2014

## Contents

<b>1</b>	<b>Front</b>	<b>2</b>
<b>2</b>	<b>OBI</b>	<b>3</b>
2.1	OBI . . . . .	3
2.1.1	Images . . . . .	3
2.1.2	Parameters . . . . .	4
2.1.3	Events . . . . .	4
2.2	Compared Parameters . . . . .	5
2.3	Aspect . . . . .	6
2.4	Star Slots . . . . .	9
2.4.1	Slot 3 . . . . .	9
2.4.2	Slot 4 . . . . .	10
2.4.3	Slot 5 . . . . .	11
2.4.4	Slot 6 . . . . .	12
2.4.5	Slot 7 . . . . .	13
2.5	FID Slots . . . . .	14
2.5.1	Slot 0 . . . . .	14
2.5.2	Slot 1 . . . . .	15
2.5.3	Slot 2 . . . . .	16
<b>A</b>	<b>Summary</b>	<b>17</b>
A.1	Status . . . . .	17
A.2	Comments . . . . .	17

# 1 Front


seq_num	291110	Sequence number
obs_id	15431	Observation id
title	AO-14 Calibration Observations to Monitor the Spatial Variations in the HRC-S Gain	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	ArLac	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.20524794148	Nominal RA [deg]
dec_nom	45.757675794686	Nominal Dec [deg]
roll_nom	210.13359933616	Nominal Roll [deg]
revision	2	Processing version of data
ontime	1149.0250626802	[s]
livetime	1142.46951608	Ontime multiplied by DTCOR
l2events	46643	Number of level 2 events



## 2 OBI

### 2.1 OBI

#### 2.1.1 Images



### 2.1.2 Parameters

obi_num	0	Obi number	sched_exp_time	1000.000000	[s] Scheduled observation exposure time
ascdsver	10.3.1	Processing system revision	ontime	1149.0250626802	[s]
caldbver	4.6.4	&#160	l1events	75057	Number of level 1 events
date	2014-12-06T11:23:03	Date and time of file creation			
revision	2	Processing version of data			

### 2.1.3 Events

Level 1 Events



	<b>segment 1</b>	<b>segment 2</b>	<b>segment 3</b>
level 1 events	613	73851	593
rejected events	613	17138	593
rejected %	100%	23%	100%



## 2.2 Compared Parameters

Parameter	Planned	Actual
Instrument	HRC	HRC
Detector	HRC-S	HRC-S
Grating	NONE	NONE
Data mode	OBSERVING	OBSERVING
Observation mode	POINTING	POINTING
[deg] Pointing RA	332.224077	332.2052479414776
[deg] Pointing Dec	45.782263	45.7576757946857
[deg] Pointing Roll	210.052735	210.1335993361552
[mm] SIM focus pos	-1.533336	-1.526339935833849
[mm] SIM defocus	7.710433287538843e-07	0.006996703570447904
[mm] SIM translation stage pos	250.455976	250.466033080201
[mm] SIM translation stage offset	0	-0.01005468664627074
[s] Observation start time (MET)	495849632.184000	495849255.70955
Observation start date	2013-09-17T23:59:25	2013-09-17T23:54:15
[s] Observation end time (MET)	495850632.184000	495850765.53463
Observation end date	2013-09-18T00:16:05	2013-09-18T00:19:25

Parameter	Planned	Actual
Obspar format version number	7	7
Obspar file type	PREDICTED	ACTUAL
Obspar update status	NONE	UPDATED

2.3 Aspect






### Slot Statistics

slot	status	used	id	mag	n_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mean_z
0	FID		HRC-S-1	7.02	288	-0.088	-0.180	0.005	0.008	0.000000	0.000000	-1177.19	-466.15
1	FID		HRC-S-2	7.00	288	0.175	-0.138	0.011	0.020	0.000000	0.000000	1218.64	-460.33
2	FID		HRC-S-4	6.95	288	0.316	0.015	0.010	0.018	0.000000	0.000000	1225.66	564.57
3	GUIDE	used	472523760	8.24	577	-0.237	-0.109	0.086	0.146	331.645363	45.403260	1948.55	447.41
4	GUIDE	used	472533912	9.16	574	0.237	0.280	0.141	0.263	331.791136	46.368695	-122.14	-2363.80
5	GUIDE	used	472651904	6.15	577	-0.249	-0.359	0.098	0.149	332.170077	45.742257	191.24	54.79
6	GUIDE	used	472655152	9.42	574	0.001	-0.090	0.181	0.301	332.504239	45.862991	-751.79	102.85
7	GUIDE	used	472665256	8.99	576	0.253	0.268	0.114	0.212	332.808125	46.195041	-2005.77	-558.14





## 2.4 Star Slots




### 2.4.1 Slot 3






## 2.4.2 Slot 4






### 2.4.3 Slot 5



## 2.4.4 Slot 6




## 2.4.5 Slot 7






## 2.5 FID Slots


### 2.5.1 Slot 0



## 2.5.2 Slot 1



### 2.5.3 Slot 2





# A Summary

## A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2014.12.12
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.1490250626802

## A.2 Comments

These data have been reprocessed with new aspect alignment calibration files that correct small mean offsets (up to 0.4 arcsecs) and improve overall astrometric accuracy. The new calibration was determined using data from the time period being reprocessed and was performed using cross-correlation of X-ray sources with radio and optical counterparts.