

V&V Summary Report

L2 ASCDS Version : 7.6.8.1

Observation 61254 - L2 Version 001
Chandra X-Ray Center

L2 Processing Date : Sep 8 2006

See [axaff61254N001_VV001_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2006.09.08
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	7.335763

Comments

Focal plane temperature is warmer than -118 degrees at the very beginning of the observation. The ACIS calibrations are not verified or necessarily applicable for focal plane temperatures warmer than -118 degrees.

seq_num	
obs_id	61254
title	ACIS-456789 diagnostics
observer	CHANDRA engineering request/realtime commanding
object	
dtcycle	0
cycle	P
ra_targ	0.0
dec_targ	0.0
ra_nom	170.02473289222
dec_nom	-9.0149051918372
roll_nom	295.83103136785
revision	2
ontime	7335.7630018443
livetime	7242.8731536488
ontime4	2782.2972064465
ontime5	7928.8999616653
ontime6	2976.718466416
ontime7	7335.7630018443
ontime8	3054.5845792741
ontime9	2953.9080463499
l2events	1312138