V&V Summary Report L2 ASCDS Version : 10.2.2

Observation 16310 - L2 Version 2 Chandra X-Ray Center

L2 Processing Date : Dec 12 2014

See axaff16310N002_VV001_vvref2.pdf for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2015.10.08
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	61.1325

Comments

These data have been reprocessed with new aspect alignment calibration files that correct small mean offsets (up to 0.4 arcsecs) and improve overall astrometric accuracy. The new calibration was determined using data from the time period being reprocessed and was performed using cross-correlation of X-ray sources with radio and optical counterparts.

Zeroth order piled up. The zeroth order sky position was determined using a software tool developed by CXC called findzero, which is available in CIAO as part of the tgdetect2 tool. The tool calculates the point of intersection of the readout streak on the ACIS CCD and the meg dispersed spectral arm, rather than using a centroid position of the source. The findzero results are more accurate than source centroid in this case.

seq_num	703022	Sequence number
obs_id	16310	Observation id
title	A Warm Absorber Study of Mk 766	Proposal title
observer	Prof. Claude Canizares	Principal investigator
object	Mkn 766	Source name
dtycycle	0	
cycle	Р	events from which exps? Prim/Second/Both
ra_targ	184.610417	Observer's specified target RA [deg]
dec_targ	29.812778	Observer's specified target Dec [deg]
ra_nom	184.61263673399	Nominal RA [deg]
dec_nom	29.810450097754	Nominal Dec [deg]
roll_nom	252.15552125158	Nominal Roll [deg]
revision	2	Processing version of data
ontime	61132.5	Sum of GTIs [s]
livetime	60145.157101029	Livetime [s]
ontime4	61132.5	Sum of GTIs [s]
ontime5	61132.5	Sum of GTIs [s]
ontime6	61132.5	Sum of GTIs [s]
ontime7	61132.5	Sum of GTIs [s]
ontime8	61132.5	Sum of GTIs [s]
ontime9	61132.5	Sum of GTIs [s]
12events	461792	Number of level 2 events

