

# V&V Summary Report

## L2 ASCDS Version : 10.7.1

Observation 21717 - L2 Version 2  
Chandra X-Ray Center

L2 Processing Date : Jan 25 2019

See axaff21717N002\_VV001\_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2019.01.26
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	14.140132094741

## Comments

The guide star in slot 7 was removed from the aspect solution due to poor data quality. The aspect solution is improved by the removal of this slot from the solution.

seq_num	801863	Sequence number
obs_id	21717	Observation id
title	Testing the Relative Sensitivity of HRC and ACIS to Faint, Soft, Extended Sources	Proposal title
observer	Ralph Kraft	Principal investigator
object	SPT-CLJ0001-5440	Source name
ra_targ	0.417083	Observer's specified target RA [deg]
dec_targ	-54.67	Observer's specified target Dec [deg]
ra_nom	0.42071544549293	Nominal RA [deg]
dec_nom	-54.674176550885	Nominal Dec [deg]
roll_nom	258.90751731077	Nominal Roll [deg]
revision	2	Processing version of data
ontime	14140.132094741	[s]
livetime	13942.115872987	Overtime multiplied by DTCOR
l2events	1705276	Number of level 2 events

