

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 61962 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Aug 31 2012

See axaff61962N002_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2012.09.06
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	0.58739999948442

Comments

'Squeegy mode' diagnostic observation; bias map is non-standard.

seq_num	 	Sequence number
obs_id	61962	Observation id
title	ACIS-2 diagnostics	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	 	Source name
dtycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA [deg]
dec_targ	0.0	Observer's specified target Dec [deg]
ra_nom	6.4672559845102	Nominal RA [deg]
dec_nom	38.27609751375	Nominal Dec [deg]
roll_nom	136.51852048753	Nominal Roll [deg]
revision	3	Processing version of data
ontime	587.39999948442	Sum of GTIs [s]
livetime	580.18461266509	Livetime [s]
ontime2	587.39999948442	Sum of GTIs [s]
l2events	20484	Number of level 2 events