

# V&V Summary Report

## L2 ASCDS Version : 8.4.5

Observation 1013 - L2 Version 4  
Chandra X-Ray Center

L2 Processing Date : Sep 15 2012

See axaff01013N002\_VV001\_vvref2.pdf for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2012.09.28
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	26.822

## Comments

There are several periods of high count rate, presumably due to a high radiation environment during this observation.

seq_num	390005	Sequence number
obs_id	1013	Observation id
title	GRATINGS CALIBRATION OBSERVATIONS OF PKS2155-304	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	PKS2155-304	Source name
ra_targ	329.716667	Observer's specified target RA [deg]
dec_targ	-30.225556	Observer's specified target Dec [deg]
ra_nom	329.71389910196	Nominal RA [deg]
dec_nom	-30.221423436151	Nominal Dec [deg]
roll_nom	122.20177997834	Nominal Roll [deg]
revision	4	Processing version of data
ontime	26832.707289293	[s]
livetime	26628.062346082	Ontime multiplied by DTCOR
l2events	1722778	Number of level 2 events

