

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 2637 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Oct 1 2012

See axaff02637N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.10.02
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.186

Comments

Charge time for this ObsId remains at previous value of 1.186 ks although with the current processing the charge time would have been 1.14 ksec.

seq_num	290193	Sequence number
obs_id	2637	Observation id
title	AO3A HRC-S CALIBRATION OBSERVATION: MINI-SCAN OF ARLAC	Proposal ti
observer	Dr. CXC Calibration	Principal investigator
object	ARLAC	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.37479932513	Nominal RA [deg]
dec_nom	45.643067654407	Nominal Dec [deg]
roll_nom	336.15886553636	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1142.1062960327	[s]
livetime	1130.2561720224	Ontime multiplied by DTCOR
l2events	86984	Number of level 2 events

