

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 2878 - L2 Version 4
Chandra X-Ray Center

L2 Processing Date : Oct 13 2012

See [axaff02878N003_VV001_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2012.10.22
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	4.889

Comments

Window preference met.

seq_num	590267	Sequence number
obs_id	2878	Observation id
title	AO3B CALIBRATION OBSERVATIONS THE STANDARD CANDLES CAS A AND G21.5-09	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	CAS A [HRC-I, Offsets=0,0,0]	Source name
ra_targ	350.8575	Observer's specified target RA [deg]
dec_targ	58.814833	Observer's specified target Dec [deg]
ra_nom	350.85077865407	Nominal RA [deg]
dec_nom	58.817362605089	Nominal Dec [deg]
roll_nom	167.0912779754	Nominal Roll [deg]
revision	4	Processing version of data
ontime	4889.5064517558	[s]
livedtime	1408.2856955886	Ontime multiplied by DTCOR
l2events	736072	Number of level 2 events

