

V&V Summary Report

L2 ASCDS Version : 8.1.1

Observation 1114 - L2 Version 4
Chandra X-Ray Center

L2 Processing Date : Nov 21 2009

See [axaff01114N001_VV001_vvref2.pdf](#) for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2010.07.30
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	9.168

Comments

ACIS imaging on I array.

===

The focal plane temperature is approximately -110 C during this observation. This reprocessing of the data applies no CTI correction because none is available for this temperature at present.

The ACIS CTI correction has not been calibrated at this temperature, because it was early in the mission, and ACIS had not yet been lowered to the standard -119.7 C. Both front and back illuminated chips are affected. However a T_GAIN correction has been applied to the BI chips (ACIS-5 and ACIS-7) data included here.

The ACIS spectral response calibration is less accurate at these warmer temperatures than it is at -119.7 C. Users whose science objectives depend on the most accurate spectral response (ie: fitting line-rich spectra) may notice an effect. Users whose science objectives do not depend on the most accurate spectral response should not notice an effect.

seq_num	880064	Sequence number
obs_id	1114	Observation id
title	 	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	COMA CLUSTER	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	194.95	Observer's specified target RA
dec_targ	27.966667	Observer's specified target Dec
ra_nom	194.95595759661	Nominal RA
dec_nom	27.967482351241	Nominal Dec
roll_nom	31.73514913155	Nominal Roll
revision	4	Processing version of data
ontime	9164.8000085354	Sum of GTIs [s]
livetime	9048.7497924473	Livetime [s]
ontime0	9164.8000085354	Sum of GTIs [s]
ontime1	9164.8000085354	Sum of GTIs [s]
ontime2	9164.8000085354	Sum of GTIs [s]
ontime3	9164.8000085354	Sum of GTIs [s]
ontime7	9164.8000085354	Sum of GTIs [s]
l2events	265372	Number of level 2 events

