

V&V Summary Report

L2 ASCDS Version : 7.6.10

Observation 1785 - L2 Version 4
Chandra X-Ray Center

L2 Processing Date : Nov 20 2008

See axaff01785N002_VV001_vvref2.pdf for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2008.11.21
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	7.686

Comments

=====
This calibration observation was acquired with the focal plane temperature raised from -120C to -110C, for attempted recalibration of ACIS for the 1999-09-16 through 2000-01-28 period.

=====
This reprocessing of the data applies no CTI correction because none is available for that temperature.

=====
Focal plane temperature is warmer than -118.7 C degrees during the entire observation. This temperature is the upper limit of the verified ACIS calibration for the front-illuminated chips. The focal plane temperature is warmer than -116.7 degrees C for approximately the entire observation. This temperature is the upper limit of the verified ACIS calibration for the back-illuminated chips. The ACIS spectral response calibration is less accurate at these warmer

temperatures than it is at -119.7 C. Users whose science objectives depend on the most accurate spectral response (ie: fitting line-rich spectra) may notice an effect. Users whose science objectives do not depend on the most accurate spectral response should not notice an effect.

seq_num	590211
obs_id	1785
title	ACIS CHIP RESPONSE TO LINES WITH E=0.6-1.5 KEV
observer	Dr. CXC Calibration
object	E0102-72.3 [Chip I3, T=110, Offsets=-0,2,0]
dtycle	0
cycle	P
ra_targ	16.01
dec_targ	-72.032028
ra_nom	16.14109576993
dec_nom	-72.011459299592
roll_nom	100.69340480459
revision	4
ontime	7680.0000071526
livetime	7582.7512227212
ontime0	7680.0000071526
ontime1	7680.0000071526
ontime2	7680.0000071526
ontime3	7680.0000071526
ontime6	7676.7590169907
ontime7	7680.0000071526
l2events	79539

