

V&V Summary Report

L2 ASCDS Version : 7.6.11

Observation 1313 - L2 Version 2
Chandra X-Ray Center

L2 Processing Date : Jul 12 2007

See axaff01313N001_VV002_vvref2.pdf for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2010.10.01
V&V Edition	2
V&V Disposition and Status	OK
V&V Charge Time	7.34

Comments

There are 2 observations with the obsid number 1313. They appear in separate spacecraft loads with these duplicate numbers. Because the 2 obsids used different instrument configurations, the telemetry file of the other obsid 1313 was edited to create a new obsid number, obsid 62866. This obsid retains the 1313 designation.

seq_num	590127
obs_id	1313
title	ACIS CALIBRATION OBSERVATION OF THE SUPERNOVA REMNANT E0102-72 (DEC 2000)
observer	Dr. CXC Calibration
object	E0102-72.3 [Chip I3, T=120, Offsets=-7.0.0]
dtcycle	0
cycle	P
ra_targ	16.01
dec_targ	-72.032028
ra_nom	16.169146862881
dec_nom	-72.1432411473
roll_nom	298.85027295737
revision	2
ontime	7340.8000068367
livetime	7247.846377051
ontime0	7340.8000068367
ontime1	7340.8000068367
ontime2	7340.8000068367
ontime3	7340.8000068367
ontime6	7340.8000068367
ontime7	7340.8000068367
l2events	68534

