

V&V Summary Report

L2 ASCDS Version : 7.6.11

Observation 1317 - L2 Version 2
Chandra X-Ray Center

L2 Processing Date : Jul 13 2007

See axaff01317N001_VV002_vvref2.pdf for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2010.10.01
V&V Edition	2
V&V Disposition and Status	OK
V&V Charge Time	6.96

Comments

There are 2 observations with the obsid number 1317. They appear in separate spacecraft loads with these duplicate numbers. Because the 2 obsids used different instrument configurations, the telemetry file of the other obsid 1317 was edited to create a new obsid number, obsid 62870. This obsid retains the 1317 designation.

seq_num	590131
obs_id	1317
title	ACIS CALIBRATION OBSERVATION OF THE SUPERNOVA REMNANT E0102-72 (DEC 2000)
observer	Dr. CXC Calibration
object	E0102-72.3 [Chip I3, T=120, Offsets=-4,6,0]
dtcycle	0
cycle	P
ra_targ	16.01
dec_targ	-72.032028
ra_nom	15.802480414872
dec_nom	-72.146670864343
roll_nom	298.1523186151
revision	2
ontime	6956.800006479
livetime	6868.7088159149
ontime0	6956.800006479
ontime1	6956.800006479
ontime2	6956.800006479
ontime3	6956.800006479
ontime6	6956.800006479
ontime7	6956.800006479
l2events	65019

