

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 2636 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Oct 1 2012

See axaff02636N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.10.02
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.202

Comments

Charge time for this ObsId remains at previous value of 1.202 ks although with the current processing the charge time would have been 1.15 ksec.

seq_num	290192	Sequence number
obs_id	2636	Observation id
title	AO3A HRC-S CALIBRATION OBSERVATION: MINI-SCAN OF ARLAC	Proposal ti
observer	Dr. CXC Calibration	Principal investigator
object	ARLAC	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	331.93849879613	Nominal RA [deg]
dec_nom	45.776560769985	Nominal Dec [deg]
roll_nom	336.59097183989	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1149.2812963128	[s]
livetime	1132.3920446214	Ontime multiplied by DTCOR
l2events	130238	Number of level 2 events

