

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 2666 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Oct 13 2012

See axaff02666N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.10.22
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.177

Comments

Charge time for this ObsId remains at previous value of 1.177 ks although with the current processing the charge time would have been 1.14 ksec. Monitor constraint met.

seq_num	290222	Sequence number
obs_id	2666	Observation id
title	AO3B HRC-S CALIBRATION OBSERVATION: MINI-SCAN OF ARLAC	Proposal ti
observer	Dr. CXC Calibration	Principal investigator
object	ARLAC	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.10650464448	Nominal RA [deg]
dec_nom	45.718067658754	Nominal Dec [deg]
roll_nom	167.05189870962	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1142.1062970459	[s]
livetime	1136.259171725	Ontime multiplied by DTCOR
l2events	41707	Number of level 2 events

