

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 2874 - L2 Version 4
Chandra X-Ray Center

L2 Processing Date : Oct 11 2012

See axaff02874N003_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2012.10.21
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	19.87

Comments

Window preference met.

seq_num	590263	Sequence number
obs_id	2874	Observation id
title	AO3B CALIBRATION OBSERVATIONS THE STANDARD CANDLES CAS A AND G21.5-09	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	G21.5-0.9 [HRC-I, Offsets=0,0,0]	Source name
ra_targ	278.389583	Observer's specified target RA [deg]
dec_targ	-10.568528	Observer's specified target Dec [deg]
ra_nom	278.38591466403	Nominal RA [deg]
dec_nom	-10.570539449222	Nominal Dec [deg]
roll_nom	232.06402859632	Nominal Roll [deg]
revision	4	Processing version of data
ontime	19870.650816143	[s]
livedtime	19762.498602195	Ontime multiplied by DTCOR
l2events	544345	Number of level 2 events

