

V&V Summary Report

L2 ASCDS Version : 7.6.8

Observation 3525 - L2 Version 001
Chandra X-Ray Center

L2 Processing Date : Jul 20 2006

See [axaff03525N001_VV001_vvref2.pdf](#) for the full report

| | |
|----------------------------|---------------|
| V&V Scientist | Beth Sundheim |
| V&V Date (YYYY-MM-DD) | 2006.07.20 |
| V&V Edition | 1 |
| V&V Disposition and Status | OK |
| V&V Charge Time | 7.731 |

Comments

Window constraint satisfied.

| | |
|----------|--|
| seq_num | 590280 |
| obs_id | 3525 |
| title | AO4A ACIS-S CALIBRATION OBSERVATIONS OF E0102-72 |
| observer | Dr. CXC Calibration |
| object | E0102-72[S5,-120,-17.29,0,0] |
| dtcycle | 0 |
| cycle | P |
| ra_targ | 16.01 |
| dec_targ | -72.032028 |
| ra_nom | 15.632297269805 |
| dec_nom | -72.300325412596 |
| roll_nom | 246.98295028835 |
| revision | 2 |
| ontime | 7727.999971211 |
| livetime | 7630.1433823326 |
| ontime4 | 7727.999971211 |
| ontime5 | 7727.999971211 |
| ontime6 | 7727.999971211 |
| ontime7 | 7727.999971211 |
| ontime8 | 7724.7590009272 |
| ontime9 | 7727.999971211 |
| l2events | 75268 |

