

V&V Reference Report

L2 ASCDS Version : 7.6.7.1

Observation 5983 - L2 Version 3
Chandra X-Ray Center


L2 Processing Date : Nov 24 2007

Contents

1	Front	2
2	OBI	3
2.1	OBI	3
2.1.1	Images	3
2.1.2	Parameters	4
2.1.3	Events	4
2.2	Compared Parameters	5
2.3	Aspect	6
2.4	Star Slots	9
2.4.1	Slot 3	9
2.4.2	Slot 4	10
2.4.3	Slot 5	11
2.4.4	Slot 6	12
2.4.5	Slot 7	13
2.5	FID Slots	14
2.5.1	Slot 0	14
2.5.2	Slot 1	15
2.5.3	Slot 2	16
3	Point Sources	17
A	Summary	18
A.1	Status	18
A.2	Comments	18

1 Front


seq_num	290475
obs_id	5983
title	AO6 Calibration Observations to Monitor the Spatial Variations in the HRC-I Gain
observer	Dr. CXC Calibration
object	ArLac
ra_targ	332.17
dec_targ	45.742306
ra_nom	332.19567790782
dec_nom	45.717199178217
roll_nom	221.74336413777
revision	3
ontime	1177.7250542045
livetime	410.86729154064
l2events	168356



2 OBI

2.1 OBI

2.1.1 Images



2.1.2 Parameters

obi_num	0
ascdsver	7.6.11.2
caldbver	3.4.1
date	2007-11-24T17:04:50
revision	3

sched_exp_time	1000.000000
ontime	1177.7250542045
l1events	278208

2.1.3 Events



Level 1 Events



	segment 0
level 1 events	278208
rejected events	61050
rejected %	21%

2.2 Compared Parameters

Parameter	Planned	Actual	Parameter	Planned	Actual
Instrument	HRC	HRC	Obspar format version number	6	6
Detector	HRC-I	HRC-I	Obspar file type	PREDICTED	ACTUAL
Grating	NONE	NONE	Obspar update status	NONE	UPDATED
Data mode	OBSERVING	OBSERVING			
Observation mode	POINTING	POINTING			
Pointing RA	332.207530	332.1956779078183			
Pointing Dec	45.742044	45.71719917821743			
Pointing Roll	221.830355	221.7433641377728			
SIM focus pos (mm)	-1.040293	-1.038866356238299			
SIM defocus (mm)	0	0.001426264420575141			
SIM translation stage pos (mm)	126.985494	126.9829799899862			
SIM translation stage offset (mm)	0	0.002508901615314585			
Observation start time	244205262.184000	244204886.10986			
Observation start date	2005-09-27T10:46:38	2005-09-27T10:41:26			
Observation end time	244206262.184000	244206395.93493			
Observation end date	2005-09-27T11:03:18	2005-09-27T11:06:35			

2.3 Aspect






Slot Statistics


slot	status	id	mag	n_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mean_z
0	FID	HRC-I-1	6.98	288	-0.013	0.062	0.006	0.010	0.000000	0.000000	-764.41	-1296.23
1	FID	HRC-I-2	7.02	288	0.163	-0.128	0.006	0.011	0.000000	0.000000	845.74	-1302.50
2	FID	HRC-I-3	7.07	288	-0.030	-0.023	0.005	0.011	0.000000	0.000000	-1189.96	1003.73
3	GUIDE	472654568	9.43	576	0.059	0.067	0.107	0.183	332.194449	45.063576	1655.52	1802.06
4	GUIDE	472655152	9.43	575	0.028	-0.163	0.116	0.184	332.504239	45.862991	-840.91	177.70
5	GUIDE	472665256	9.02	576	0.117	0.080	0.067	0.111	332.808125	46.195041	-2206.13	-216.82
6	GUIDE	472533912	9.16	576	-0.002	0.026	0.125	0.196	331.791136	46.368695	-737.60	-2369.12
7	GUIDE	472525528	6.66	575	-0.211	-0.012	0.083	0.139	331.551102	45.248694	2419.87	208.82

2.4 Star Slots


2.4.1 Slot 3




2.4.2 Slot 4




2.4.3 Slot 5



2.4.4 Slot 6




2.4.5 Slot 7




2.5 FID Slots


2.5.1 Slot 0




2.5.2 Slot 1



2.5.3 Slot 2



3 Point Sources



A Summary

A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2007.12.07
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.177725

A.2 Comments

The current observation has been reprocessed as part of Repro III ('C' supplement) the purpose of which is to update all HRC-I ObsIDs since Jan 2000 to the latest calibrations available for that configuration. Specifically, we are updating the DEGAP solution and the Gain Maps applied. For more information see the Repro IIIC web page at:

<http://asc.harvard.edu/cda/repro3.html#IIIC>

and the associated links.