

V&V Summary Report

L2 ASCDS Version : 8.5.1.1

Observation 15451 - L2 Version 2
Chandra X-Ray Center

L2 Processing Date : Dec 1 2014

See axaff15451N002_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2014.12.09
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.0068063044548

Comments

These data have been reprocessed with new aspect alignment calibration files that correct small mean offsets (up to 0.4 arcsecs) and improve overall astrometric accuracy. The new calibration was determined using data from the time period being reprocessed and was performed using cross-correlation of X-ray sources with radio and optical counterparts.

seq_num	291130	Sequence number
obs_id	15451	Observation id
title	AO-14 Calibration Observations of HZ43 to measure the gain accross the HRC-S plate gaps	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	HZ43	Source name
ra_targ	199.090417	Observer's specified target RA [deg]
dec_targ	29.098306	Observer's specified target Dec [deg]
ra_nom	198.80012317442	Nominal RA [deg]
dec_nom	29.353619731383	Nominal Dec [deg]
roll_nom	134.82022868832	Nominal Roll [deg]
revision	2	Processing version of data
ontime	1006.8063044548	[s]
liveltime	643.53819379283	Ontime multiplied by DTCOR
l2events	170477	Number of level 2 events

