

V&V Summary Report

L2 ASCDS Version : 8.1.1

Observation 62319 - L2 Version 4
Chandra X-Ray Center

L2 Processing Date : Nov 21 2009

See axaff62319N001_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2010.08.12
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	4.0391375608817

Comments

This observation was acquired with the focal plane temperature raised from -120C to -110C, for attempted recalibration of ACIS for the 1999-09-16 through 2000-01-28 period. This reprocessing of the data applies no CTI correction because none is available for that temperature.

seq_num	 	Sequence number
obs_id	62319	Observation id
title	ACIS-456789 diagnostics	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	 	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA
dec_targ	0.0	Observer's specified target Dec
ra_nom	153.39017879352	Nominal RA
dec_nom	49.407754322241	Nominal Dec
roll_nom	64.328552086461	Nominal Roll
revision	4	Processing version of data
ontime	4039.1375608817	Sum of GTIs [s]
livetime	3987.9915690091	Livetime [s]
ontime4	1489.4404223859	Sum of GTIs [s]
ontime5	4295.1764594465	Sum of GTIs [s]
ontime6	1682.910354048	Sum of GTIs [s]
ontime7	4039.1375608817	Sum of GTIs [s]
ontime8	1726.0773529187	Sum of GTIs [s]
ontime9	1624.5715441406	Sum of GTIs [s]
l2events	1290136	Number of level 2 events