

V&V Summary Report

L2 ASCDS Version : 8.1.1

Observation 62325 - L2 Version 4
Chandra X-Ray Center

L2 Processing Date : Nov 21 2009

See [axaff62325N001_VV001_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2010.08.12
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	4.9580574964508

Comments

This observation was acquired with the focal plane temperature raised from -120C to -110C, for attempted recalibration of ACIS for the 1999-09-16 through 2000-01-28 period. This reprocessing of the data applies no CTI correction because none is available for that temperature.

seq_num	 	Sequence number
obs_id	62325	Observation id
title	ACIS-012367 diagnostics	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	 	Source name
dtycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA
dec_targ	0.0	Observer's specified target Dec
ra_nom	170.06434579077	Nominal RA
dec_nom	50.04817079751	Nominal Dec
roll_nom	47.478484871654	Nominal Roll
revision	4	Processing version of data
ontime	4958.0574964508	Sum of GTIs [s]
livetime	4895.275587047	Livetime [s]
ontime0	1921.2710326836	Sum of GTIs [s]
ontime1	1924.5531126931	Sum of GTIs [s]
ontime2	1850.0502325445	Sum of GTIs [s]
ontime3	1814.2348319814	Sum of GTIs [s]
ontime6	2026.3390243798	Sum of GTIs [s]
ontime7	4958.0574964508	Sum of GTIs [s]
l2events	1311315	Number of level 2 events