

V&V Summary Report

L2 ASCDS Version : 8.1.1

Observation 62326 - L2 Version 4
Chandra X-Ray Center

L2 Processing Date : Nov 21 2009

See axaff62326N001_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2010.08.12
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	3.9874260657951

Comments

This observation was acquired with the focal plane temperature raised from -120C to -110C, for attempted recalibration of ACIS for the 1999-09-16 through 2000-01-28 period. This reprocessing of the data applies no CTI correction because none is available for that temperature.

seq_num	 	Sequence number
obs_id	62326	Observation id
title	ACIS-456789 diagnostics	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	 	Source name
dtycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA
dec_targ	0.0	Observer's specified target Dec
ra_nom	170.06641944135	Nominal RA
dec_nom	50.038322120397	Nominal Dec
roll_nom	47.475790284969	Nominal Roll
revision	4	Processing version of data
ontime	3987.4260657951	Sum of GTIs [s]
livetime	3936.9348760103	Livetime [s]
ontime4	1448.7435959503	Sum of GTIs [s]
ontime5	4252.2306523025	Sum of GTIs [s]
ontime6	1665.8931666613	Sum of GTIs [s]
ontime7	3987.4260657951	Sum of GTIs [s]
ontime8	1682.0983666927	Sum of GTIs [s]
ontime9	1584.8673061505	Sum of GTIs [s]
l2events	1277603	Number of level 2 events