

# V&V Summary Report

## L2 ASCDS Version : 8.1.1

Observation 62360 - L2 Version 3  
Chandra X-Ray Center

L2 Processing Date : Nov 19 2009

See [axaff62360N001\\_VV001\\_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2010.08.13
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	3.4840153804868

## Comments

The focal plane temperature is approximately -110C during this observation.

The ACIS CTI correction has not been calibrated at this temperature because it was early in the mission, and ACIS had not yet been lowered to the standard -119.7 C. Both front- and back-illuminated chips are affected. However, a T\_GAIN correction has been applied to the BI chips

(ACIS-5 and ACIS-7) data included here.

The ACIS spectral response calibration is less accurate at these warmer temperatures than it is at -119.7 C. Users whose science objectives depend on the most accurate spectral response (ie: fitting line-rich spectra) may notice an effect. Users whose science objectives do not depend on the most accurate spectral response should not notice an effect.

seq_num	&#160	Sequence number
obs_id	62360	Observation id
title	ACIS-456789 diagnostics	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	&#160	Source name
dtycle	0	&#160
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA
dec_targ	0.0	Observer's specified target Dec
ra_nom	112.13737322624	Nominal RA
dec_nom	80.026878842746	Nominal Dec
roll_nom	80.253014340723	Nominal Roll
revision	3	Processing version of data
ontime	3484.0153804868	Sum of GTIs [s]
livetime	3439.8986799169	Livetime [s]
ontime4	1244.5581155494	Sum of GTIs [s]
ontime5	3717.3250814751	Sum of GTIs [s]
ontime6	1455.2255763039	Sum of GTIs [s]
ontime7	3484.0153804868	Sum of GTIs [s]
ontime8	1426.0562461838	Sum of GTIs [s]
ontime9	1387.1638259664	Sum of GTIs [s]
l2events	1135478	Number of level 2 events