

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 61946 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Sep 1 2012

See axaff61946N002_VV001_vvref2.pdf for the full report

| | |
|----------------------------|------------------|
| V&V Scientist | Beth Sundheim |
| V&V Date (YYYY-MM-DD) | 2012.09.07 |
| V&V Edition | 1 |
| V&V Disposition and Status | OK |
| V&V Charge Time | 0.48179999957979 |

Comments

'Squeegy mode' diagnostic observation; bias map is non-standard.

| | | |
|----------|---|---|
| seq_num | | Sequence number |
| obs_id | 61946 | Observation id |
| title | ACIS-0 diagnostics | Proposal title |
| observer | CHANDRA engineering request/realtime commanding | Principal investig |
| object | | Source name |
| dtcycle | 0 | |
| cycle | P | events from which exps? Prim/Second/Both |
| ra_targ | 0.0 | Observer's specified target RA [deg] |
| dec_targ | 0.0 | Observer's specified target Dec [deg] |
| ra_nom | 247.45282021597 | Nominal RA [deg] |
| dec_nom | -31.376692377806 | Nominal Dec [deg] |
| roll_nom | 261.22489485385 | Nominal Roll [deg] |
| revision | 3 | Processing version of data |
| ontime | 481.79999957979 | Sum of GTIs [s] |
| livetime | 475.88176095267 | Livetime [s] |
| ontime0 | 481.79999957979 | Sum of GTIs [s] |
| l2events | 32714 | Number of level 2 events |