

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 62894 - L2 Version 5
Chandra X-Ray Center

L2 Processing Date : Aug 25 2012

See axaff62894N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.08.28
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	3.7875497443527

Comments

Squeegee mode diagnostic observation; bias map is non-standard.

seq_num	 	Sequence number
obs_id	62894	Observation id
title	ACIS-4 diagnostics; squeegee, S0 16 row, CAP 591	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	 	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA [deg]
dec_targ	0.0	Observer's specified target Dec [deg]
ra_nom	196.97334754075	Nominal RA [deg]
dec_nom	23.984541203199	Nominal Dec [deg]
roll_nom	180.23968013021	Nominal Roll [deg]
revision	5	Processing version of data
ontime	3787.5497443527	Sum of GTIs [s]
livetime	3741.0249971158	Livetime [s]
ontime4	3787.5497443527	Sum of GTIs [s]
l2events	249502	Number of level 2 events