

V&V Summary Report

L2 ASCDS Version : 7.6.8.1

Observation 60671 - L2 Version 001
Chandra X-Ray Center

L2 Processing Date : Aug 10 2006

See [axaff60671N001_VV001_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2006.08.10
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	8.45707661

Comments

Focal plane temperature is warmer than -118 degrees throughout observation. The ACIS calibrations are not verified or necessarily applicable for focal plane temperatures warmer than -118 degrees.

seq_num	
obs_id	60671
title	ACIS-012367 diagnostics
observer	CHANDRA engineering request/realtime commanding
object	
dtcycle	0
cycle	P
ra_targ	0.0
dec_targ	0.0
ra_nom	232.40348721348
dec_nom	-4.3283786192117
roll_nom	244.10135190512
revision	2
ontime	8457.0766177475
livetime	8349.9880213734
ontime0	5148.0832761526
ontime1	5264.8007300794
ontime2	4976.7937942147
ontime3	5086.4234776199
ontime6	5498.5919996798
ontime7	8457.0766177475
l2events	1251771