

V&V Summary Report

L2 ASCDS Version : 10.9.2

Observation 19767 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Oct 24 2020

See axaff19767N003_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2020.10.26
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	22.983359106779

Comments

One optional chip was dropped.

===

The guide star in slot 5 was removed from the aspect solution due to poor data quality. The aspect solution is improved by the removal of this slot from the solution.

seq_num	801704	Sequence number
obs_id	19767	Observation id
title	Calibrating the Mass-Proxy vs. Mass Relation - from X-ray observables to Weak Lensing Masses	Proposal title
observer	Ralph Kraft	Principal investigator
object	A1234	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	170.625	Observer's specified target RA [deg]
dec_targ	21.406111	Observer's specified target Dec [deg]
ra_nom	170.62716866809	Nominal RA [deg]
dec_nom	21.459309249025	Nominal Dec [deg]
roll_nom	85.207122193846	Nominal Roll [deg]
revision	3	Processing version of data
ontime	22983.359106779	Sum of GTIs [s]
livetime	22683.064599946	Livetime [s]
ontime0	22986.500176907	Sum of GTIs [s]
ontime1	22983.359096646	Sum of GTIs [s]
ontime2	22986.500176907	Sum of GTIs [s]
ontime3	22983.359106779	Sum of GTIs [s]
l2events	62312	Number of level 2 events

