V&V Summary Report L2 ASCDS Version: 10.6.4.1

Observation 21545 - L2 Version 1 Chandra X-Ray Center

L2 Processing Date: Sep 25 2018

See axaff21545N001_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2018.09.25
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	32.577859210491

Comments

One optional chip was dropped.

==

The focal plane temperature during part of this observation was warmer than the upper limit for optimum calibration of the ACIS gain and spectral resolution (i.e., -114.0 C for ACIS-I and -112.0 C for ACIS-S).

The Chandra calibration team calibrates the ACIS gain and spectral resolution using data from the external calibration source (ECS). ECS data show that the frontside-illuminated (FI) CCDs are more temperature sensitive than the backside-illuminated (BI) CCDs.

http://asc.harvard.edu/cal/Acis/Cal_prods/Gain_and_Spectral_Resolution/ACIS_response_summary.html

The main points are:

- 1) The gain on BI chips remains within 0.3% (i.e., the systematic uncertainty in the ACIS gain quoted on the Chandra Calibration Status Summary web page) at all measured temperatures.
- 2) The gain on FI chips remains within 0.3% below row 600 at all

measured temperatures.

- 3) The gain on FI chips above row 600 can be underestimated by as much as 1% for focal plane temperatures exceeding -116 C.
- 4) The spectral resolution (i.e., FWHM) on BI chips is insensitive to the focal plane temperature.
- 5) Warmer focal plane temperatures increase the FWHM on FI chips by up to 30 eV near row 512 and by up to 70 eV near the top of the chips. In summary, the user should be cautious in the spectral analysis of high S/N emission lines detected on the top half of FI chips in this observation. Default processing with the current version of the CALDB will underestimate photon energies by up to 1% and broaden emission lines by up to 70 eV.

seq_num	801827	Sequence number
obs_id	21545	Observation id
title	A Unique Sample of Extreme-BCG Clusters at 0.2 < z < 0.6	Proposal
observer	Michael McDonald	Principal investigator
object	CHIPS0005-2758	Source name
dtycycle	0	& #160
cycle	P	events from which exps? Prim/Second/Both
ra_targ	1.4925	Observer's specified target RA [deg]
dec_targ	-27.981806	Observer's specified target Dec [deg]
ra_nom	1.5223259395515	Nominal RA [deg]
dec_nom	-28.000757778904	Nominal Dec [deg]
roll_nom	353.22267780568	Nominal Roll [deg]
revision	1	Processing version of data
ontime	32577.859210491	Sum of GTIs [s]
livetime	32152.205496435	Livetime [s]
ontime0	32574.718079925	Sum of GTIs [s]
ontime1	32577.859190464	Sum of GTIs [s]
ontime2	32577.859190464	Sum of GTIs [s]
ontime3	32577.859210491	Sum of GTIs [s]
12events	91066	Number of level 2 events

